


Company: Po	cahontas Gas LLC	Facility: AW	114ACV	<sub>ID:</sub> VAS2I	D970BRUS
Inventory:	Active: 1	$_{\text{TA:}}\underline{0}$		<sub>PA:</sub> 0	
MIT Review:	Type(s) require	ed: Casing/tubing	g pressure test M	onitoring Reporting	Year: 2019
	Wells overdue none	:			
	Wells due in co	oming year:			
	Wells failing M	IIT review requii	ring follow up act	ion:	10
TA Wells:	Wells overdue n/a	for 2-year non-er	ndangerment dem	o in next year:	
	Wells due for r	on-endangermen	t demo in next ye	ar:	85
PA Wells:	All PA wells de	ocumented for pro	oper closure? n/a	a	
	Is facility on sc	hedule for P&A	under CAO? no		
	P&A Plan acce	ptable? yes			
Financial Resp	ponsibility: Mecha	nism used: Sur	ety Performa	ance Bond	
	f last 3rd-party cost est			R required?_no	
P-Max: 841	P-Max Reported: 54	0 Permittee		Total Volume Rep	orted: 964
P-Max Violatio	ons: none				
Other Violation	ns/Deficiencies: no				
Follow-up Acti	on Necessary: no				
WIMS Updated	yes yes				
Comments: Permitted Volu	me: 45,000 per month				
	DEARDE	signed by JEREMY		2/21/20	



### Page 1 of 2

# Mechanical Integrity Test Tubing/Casing Annulus Pressure Test U.S. Environmental Protection Agency Underground Injection Control Program 1650 Arch Street, Philadelphia, Pa 19103-2029

EPA Witness: DAVID RECTENNALD Date: 9 125 12019	
Test conducted by: ANDREW STATZER	
Others present:	
Facilty ID: VAS2D970BRUS	
Well Name: AW114ACV - Type: ER SWD Status: AC TA UC	
Location: 37° 7' 13.6" -81° 57' 37.5"  Operator: ANDREW STATZER (276) 596-5048  Last MIT: 9/25/2019 - Cement Bond Test Maximum Allowable Pressure: 841.00 PSIG	
Regularly scheduled test? [ ] Yes [ ] No Initial test for permit? [X] Yes [ ] No Test after well rework? [ ] Yes [ ] No	
Well injecting during test? If Yes, rate:	
Pre-test annulus pressure: psig	

MIT DATA TABLE	Test #1		Test #2	Test #3
TUBING			PRESSURE	RECORD
Initial Pressure	863	psig	psig	psig
End of test pressure	860	psig	psig	
CASING/TUBING	ANNULUS		PRESSURE	RECORD
/0.03 0 minutes	1410.1	psig	psig	psig
5 minutes		psig	psig	psig
10 minutes		psig	psig	psig
15 minutes		psig	psig	psig
20 minutes		psig	psig	psig
25 minutes		psig	psig	psig
/0:33 30 minutes	1378.3	psig	psig	psig
minutes		psig	psig	psig
minutes		psig	psig	psig
RESULT	[X] Pass [	]Fail	[ ] Pass [ ]Fail	

Page 2 of 2

<b>Initial Test Press</b>	ure	1410.1	
Initial Test Press	ıre x .05 -	70.5	VASAD97UBRUS
Results	=	1339.6	
The Well passes N calculated above	Mechanical Integrity, if the fir	nal test pressure e	exceeds the result
Test result:	Passed Faile	d	
	MECHANICAL INTE	GRITY PRES	SSURE TEST
Additional comments bled back at end of t	s for mechanical integrity pressest, reason for failing test (cas	sure test, such as vo ing head leak, tubin	olume of fluid added to annulus and g leak, other), etc.:
INITIAL	MIT TEST P	RIVE TO	AUTHOR/2 ATTON
TO INTO			
Signature of Witness	DaRent		
James 606	LY - COMPLIANCE FOLLO	OWUP	
Staff Do you agree with t	he reported test results?	[ ] YES [ ] N	Date://
If not, why?	entified? [ ] YES [ ]		
11.100 11.100 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00	initiated? [ ] YES		
] Data Entry	[ ] Compliance Staff	[ ] 2 <sup>nd</sup> Data Entry	[ ] Hardcopy Filing

Thursday, October 24, 2019 3:12 PM

VAS2D970BRUS AW114ACV -

U.S. Environmental Protection Agency, Region 3

EPA Inspector: Dave	e Rectenwald_	1)2	
			•

Date: 9/25/249

Operator Representative: ANDRE

Time: (2 - 00 AM (PM)

#### Well Data

## Inspection Type (circle one)

CNX GAS COMPANY, LLC

Status: Proposed Well (associated with permit application only)

(PW)

Type: Produced Fluid Disposal (2D )

Latitude: 37° 7' 13.6" Longitude: -81° 57' 37.5"

Last Insp: 09/25/2019 - Mechanical Integrity Tests Witnessed

Last MI Test: 09/25/2019 - Cement Bond Test

Max. Injection Pressure: 841.00

Routine Compliant MIT Witness Construction / Rework

Emergency Other

### Well Operating Status (circle one)

Active Shut-In PA TA

Under Construction

Other

Well Injection Shut-off Device? Yes /(No Comments:

#### Additional Information

Photos Taken?

NEWLY CONSTRUCTED CLASS

20 DISPOSAL WELL FACILITY

PLANT AND TANK BATTERY

NUT YET CONSTRUCTED.

Wellhead Pressure and Injection

Photo Log (or other

Device Type	"As Found" Setting
Physical Pop-off Analog (Murphy)	psi
Digital	psi
Was Shut-Off	Adjusted Pressure
Device Adjusted? Yes / No	psi

	ume – Observations			
Tubing psi	Operator's Gauge (circle one)	Digital Analog	EPA's Gauge Digital (circle one) Analog	EPA Gauge ID
Tbg/Csg Annulus psi Opened Annulus? Yes / No	Operator's Gauge (circle one)	Digital Analog	EPA's Gauge Digital (circle one) Analog	EPA Gauge ID
Bradenhead Annulus psi Opened Annulus? Yes / No	Operator's Gauge (circle one)	Digital Analog	EPA's Gauge Digital (circle one) Analog	EPA Gauge ID
Injection Rate And Volume			Rate (circle one) BDP / CFM	Does Cumulative Volume Reset?
(Operator's Meter			Cumulative Volume (circle one) BBL / MCF	Yes / No If Yes, Frequency

# **Injected Chemicals**

# AW114ACV

# VASD970BRUS

<b>Chemical Name</b>	Manufacturer	Use	Injection Rate
Xcide 408C	Baker Petrolite	Bactericide	20 ppm
SCW237	Baker Petrolite	Scale Inhibitor	20 ppm
CRW5494	Baker Petrolite	Corrosion Inhibitor	20 ppm



Pocahontas Gas LLC PO Box 570 Pounding Mill, VA 24637

phone: 276-596-5048 andystatzer@cnx.com

January 29, 2020

U.S. Environmental Protection Agency Source Water/UIC Section Water Division Attn: Kevin Rowsey 1650 Arch Street Philadelphia, PA 19103

RE:

Ball A1 Permit No. VAS2D921BBUC BPC 1 Permit No. VAS2D960BBUC N26VP2 Permit No. VAS2D930BBUC U 7 Permit No. VA52D926BBUC AW114ACV Permit No. VASD970BRUS

Dear Mr. Rowsey:

Please find enclosed a 2019 annual report for the above referenced injection well/s. Also enclosed are the annual samples for each well and a survey report for the U-7 injection well with Logs.

If you should have any questions, please do not hesitate to call me @ 276-596-5048

Sincerely,


Andy Statzer

Senior Engineer Production

OMB No. 2040-0042

Approval Expires 4/30/2022

United States Environmental Protection Agency COMPLETION REPORT FOR INJECTION WELLS				
Name, Address, Phone Number and/or Email of Permittee				
CNX Gas Company LLC PO Box 570 Pounding Mill, VA 24637 276-596-5048 andrewstatzer@cnx.com				
State	County			
Virginia	Russell			
Permit (or EPA ID) Number VAS2D970BRUS API Number 45	1670040900 Full Well Name AW114ACV			
Locate well in two directions from nearest lines of quarter section and dri	Iling unit Latitude 37 07' 13.6"			
Surface Location  1/4 of Section Township Range	Longitude -81 57' 37.5"			
ft. from (N/S)  Line of quarter section  ft. from (E/W)  Line of quarter section.				
Anticipated Daily Injection Volume (Bbis)	Injection Interval (Perforated/Open Hole Interval)			
Average Maximum	Feet to Feet			
1,000	Weir 5522 5526 5580 5582 BIG LIME 4752 4762 LOWER MAXON 4318 4334			
Depth to Bottom of Lowermost USDW (Feet) 300				
Date Drilling Began	Name of Injection Zone			
09/08/2006	Lower Maxon, Big Lime, Weir			
Date Drilling Completed	Fracture Pressure of Injection Zone  Lower Maxon 4114, Big Lime 4125, Weir 3329			
10/09/2006	Permeability of Injection Zone			
10/09/2006	0.2 - 150 millidarcies			
Date Well Completed	Porosity of Injection Zone			
11/07/2006 6-12 %				
Complete Attachments; See Instructions.				
Certification  I certify under the penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. (Ref. 40 CFR § 144.32)				
Name and Official Title (Please type or print)  Signature				
Andrew Stateer 11/7/2019				



Measured Depth - 6120 ft



Open Hole

Tubing

Perforation

Retrievable Packer Mechanical
Casing

United States Environmental Protection Agency

<b>SEPA</b> AP	NNUAL CLASS II [	DISPOSAL/IN	JECTION W	VELL MONITO	OPING PEROPT
Name, Address, Phone and Pocahontas Gas LLC PO Box 570 Pounding Mill, VA 246 andrewstatzer@cnx.com	d/or Email of Permittee		is to Holy F	VELL INICIALLY	ORING REPORT
State			County		
Virginia			Russell		
WELL TYPE  ✓ Brine Disposal  Enhanced Recovery  Hydrocarbon Storage	Locate well in two dire  Surface Location  1/4 of  ft. from (i	1/4 of Section	Township  I quarter section  I quarter section.	tion and drilling unit Range	
Permit or EPA ID Number	Latitude 37 07 13.524			81 57 37.08617	
	VASD970BRUS	API Number 45167	70040900	Full Well Name	AW114ACV
	INJECTION PRESSURI	E	TOTAL VOLUME IN.	JECTED	TUBING CASING ANNULUS PRESSURE
MONTH, YEAR	MAXIMUM PSIG	ВВ	L	MCF	(IF SPECIFIED IN PERMIT) MAXIMUM PSIG
January-2019					
February-2019					
March-2019					
April-2019					
May-2019					
June-2019					
uly-2019					
August-2019					
September-2019					
October-2019					
lovember-2019					
ecember-2019	540.05	964			458.8
information is true, accu	Ity of law that I have personal based on my inquiry of those urate, and complete. I am aw mprisonment. (Ref. 40 CFR §	vare that there are sig	familiar with the info	ormation submitted in obtaining the informa or submitting false inf	this document and all
eraig W. Ne V.P. Oporat	4/	Signature	ig WN	eal	1/21/2020

#### **INSTRUCTIONS FOR FORM 7520-11**

Owners or operators of Class II injection wells should use this form to submit required monitoring data annually. Owners or operators of all other well classes should use Form 7520-8. Please submit a separate form for each well.

NAME, ADDRESS, PHONE AND/OR EMAIL OF PERMITTEE: Enter the name and street address, city/town, state, and ZIP code of the permittee. Also provide an email address (if available) and/or a phone number.

Enter the **STATE** and **COUNTY** where the well is located. For States that do not have counties, use the name of that State's equivalent jurisdiction at a more local level.

Check the appropriate box to describe the WELL TYPE.

WELL LOCATION: Fill in the complete township, range, and section to the nearest quarter-quarter section. A township is north or south of the baseline, and a range is east or west of the principal meridian (e.g., T12N, R34W). Also include the distance, in feet, from the nearest north or south line and nearest east or west line of the quarter-section. Also, enter the latitude and longitude of the well in decimal degrees, to five or six places if possible; be sure to include a negative sign for the longitude of a well in the Western Hemisphere and a negative sign for the latitude of a well in the Southern Hemisphere.

**PERMIT OR EPA ID NUMBER:** Enter the well identification number or permit number assigned to the injection well by the EPA or the permitting authority.

**API NUMBER:** Enter the number assigned by the local jurisdiction (usually a State Oil and Gas Agency) using the American Petroleum Institute standard numbering system.

FULL WELL NAME: Enter the full name of the well or project.

Enter on a separate row, each month and year for which monitoring results are reported. Provide the following information: MAXIMUM INJECTION PRESSURE, in pounds per square inch gauge (psig); TOTAL VOLUME INJECTED in barrels (bbl) or millions of cubic feet (mcf); and MAXIMUM TUBING-CASING ANNULUS PRESSURE (if specified in the permit) in psig.

**CERTIFICATION:** This form must be signed and dated by either: a responsible corporate officer for a corporation, by a general partner for a partnership, by the proprietor of a sole proprietorship, or by a principal executive or ranking elected official for a public agency.

PAPERWORK REDUCTION ACT NOTICE: The public reporting and recordkeeping burden for this collection of information is estimated to average 29.7 hours per response. Burden means the total time, effort, or financial resource expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal Agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and requirements; train personnel to be able to respond to the collection of information; search data sources; complete and review the collection of information; and, transmit or otherwise disclose the information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including the use of automated collection techniques to Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed forms to this address.

### Page 1 of 2

# Mechanical Integrity Test Tubing/Casing Annulus Pressure Test U.S. Environmental Protection Agency Underground Injection Control Program 1650 Arch Street, Philadelphia, Pa 19103-2029

Test conducted by: ANDREW STATER  Others present:	
Facilty ID: VAS2D970BRUS  Well Name: AW114ACV - Type: ER SWD Status: AC TA UC  Field: Location: 37° 7' 13.6" -81° 57' 37.5"	
Operator: ANDREW STATZER (276) 596-5048  Last MIT: 9/25/2019 - Cement Bond Test Maximum Allowable Pressure: 841.00 PSIG	
Regularly scheduled test? [ ] Yes [ ] No Initial test for permit? [X] Yes [ ] No Test after well rework? [ ] Yes [ ] No	
Well injecting during test? If Yes, rate: // bpd	

MIT DATA TABLE	Test #1		Test #2	Test #3
TUBING			PRESSURE	RECORD
Initial Pressure	863	psig	psig	psig
End of test pressure	860	psig	psig	psig
CASING/TUBING	ANNULUS		PRESSURE	RECORD
/0°.03 0 minutes	1410.1	psig	psig	psig
5 minutes		psig	psig	psig
10 minutes		psig	psig	psig
15 minutes		psig	psig	psig
20 minutes		psig	psig	psig
25 minutes		psig	psig	psig
10:33 30 minutes	1378.3	psig	psig	psig
minutes		psig	psig	psig
minutes		psig	psig	psig
RESULT	[X] Pass [ ]	Fail	[ ] Pass [ ]Fail	[ ] Pass [ ]Fail

Page 2 of 2

Initial Test Pressure /4(0-
Initial Test Pressure x .05 - 70.5 VASAD 970BRUS
Results = 1339.6
The Well passes Mechanical Integrity, if the final test pressure exceeds the result calculated above
Test result: Passed Failed ——
MECHANICAL INTEGRITY PRESSURE TEST
Additional comments for mechanical integrity pressure test, such as volume of fluid added to annulus and bled back at end of test, reason for failing test (casing head leak, tubing leak, other), etc.:
TNITIAL MIT TEST PRIOR TO AUTHORIZATION TO INSECT
Signature of Witness:
OFFICE USE ONLY - COMPLIANCE FOLLOWUP
Staff Date:/
Do you agree with the reported test results? [ ] YES [ ] NO  If not, why?
Possible violation identified? [ ] YES [ ] NO If YES, what
If YES - followup initiated? [ ] YES [ ] NO - why not?
[ ] Data Entry [ ] Compliance Staff [ ] 2 <sup>nd</sup> Data Entry [ ] Hardcopy Filing